

Safety Data Sheet

TEROSON BOND60

Page 1 of 7

SDS No.: 630473 V001.0 Date of issue: 24.06.2021

Section 1. Identification of the substance/preparation and of the company/undertaking

Product name:

TEROSON BOND60

Intended use:

Seam sealant

Supplier:

Henkel Australia Pty Ltd 135-141 Canterbury Road Kilsyth, Victoria, 3137 Australia

Phone: +61 (3) 9724 6444

Section 2. Hazards identification

Classification of the substance or mixture Hazardous according to the criteria of Safe Work Australia.

GHS Classification:

Hazard Class Respiratory sensitizer Carcinogenicity

Hazard pictogram:

Signal word:

Hazard Category Category 1 Category 1A

Route of Exposure

Inhalation



Danger

Hazard statement(s):	H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H350 May cause cancer.
Precautionary Statement(s):	
Prevention:	 P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P281 Use personal protective equipment as required. P285 In case of inadequate ventilation wear respiratory protection.
Response:	P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. P308+P313 IF exposed or concerned: Get medical advice/attention.
Storage:	P405 Store locked up.
Disposal:	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations.

Dangerous Goods information:

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

Section 3. Composition / information on ingredients

General chemical description:

Mixture Polyurethane prepolymer Sealant

Type of preparation:

Identity of ingredients:

Chemical ingredients	CAS-No.	Proportion
4,4'- methylenediphenyl diisocyanate	101-68-8	0.1-< 1 %
Quartz (SiO2), <1% respirable	14808-60-7	0.1-< 1 %
non hazardous ingredients~		60- <= 80 %

Section 4. First aid measures					
Ingestion:	Rinse mouth, do not induce vomiting, consult a doctor.				
Skin:	Rinse with running water and soap. Apply replenishing cream. Change all contaminated clothing. If necessary, see a dermatologist.				
Eyes:	Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.				
Inhalation:	Immediately remove victim to fresh air. Seek medical advice.				
First Aid facilities:	Eye wash Normal washroom facilities				
Medical attention and special treatment:	Treat symptomatically.				

Section 5. Fire fighting measures				
Suitable extinguishing media:	All common extinguishing agents are suitable.			
Improper extinguishing media:	High pressure waterjet			
Particular danger in case of fire:	In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO2) can be released. In the event of fire, isocyanate vapors may be formed.			
Special protective equipment for fire-fighters:	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. Wear protective equipment.			

Section 6. Accidental release measures				
Personal precautions:	Wear protective equipment. Avoid contact with skin and eyes. Keep unprotected persons away.			
Environmental precautions:	Do not empty into drains / surface water / ground water.			
Clean-up methods:	Remove mechanically. Dispose of contaminated material as waste according to Section 13.			

Section 7. Handling and storage					
Precautions for safe handling:	Use only in well-ventilated areas. Avoid skin and eye contact. Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.				
Conditions for safe storage:	Ensure good ventilation/extraction. Store in a cool, dry place. Temperatures between + 5 °C and + 35 °C				

Section 8. Exposure controls / personal protection

National exposure standards:

Ingredient [Regulated substance]	form of exposure	TWA (ppm)	TWA (mg/m3)	Peak Limit. (ppm)	Peak Limit. (mg/m3)	STEL (ppm)	STEL (mg/m3)
ISOCYANATES, ALL (AS-NCO) 101-68-8			0.02				
ISOCYANATES, ALL (AS-NCO) 101-68-8							0.07
Engineering controls:	Ensu	re good ventil	ation/extractio	n.			
Eye protection:	Protective goggles						
Skin protection:	Protective clothing that covers arms and legs. Nitrile rubber gloves should be worn. Please note that in practice the working life of chemical resistant gloves may be considerably reduced as a result of many influencing factors (e.g. temperature). Suitable risk assessment should be carried out by the end user. If signs of wear and tear are noticed then the gloves should be replaced.						
Respiratory protection:	If inhalation risk exists, wear a respirator or air supplied mask complying with the requirements of AS/NZS 1715 and AS/NZS 1716.						

Page 4 of 7

Section 9. Physical and chemical properties			
Appearance:	black		
Odor: pH:	characteristic Not applicable		
Flash point:	Not applicable		
	Section 10. Stability and reactivity		
Stability:	Stable under recommended storage conditions.		
Conditions to avoid:	Humidity		
Incompatible materials:	Reaction with water, alcohols, amines. Reacts with water: Pressure built up in closed vessel (CO2).		
Hazardous decomposition products:	At higher temperatures isocyanate may be released.		

Section 11. Toxicological information

Health Effects:	
Ingestion:	May cause gastrointestinal tract irritation if swallowed.
Skin:	May cause skin irritation.
Eyes:	May cause irritation.
Inhalation:	Harmful by inhalation.
	This compound contains a material that may cause sensitization in some individuals, resulting in allergic symptoms of the respiratory tract producing asthma-like conditions (including wheezing, shortness of breath and difficulty breathing).

Acute toxicity:

Hazardous components	Value	Value	Route of	Exposure	Species	Method
CAS-No.	type		application	time		
4,4'- methylenediphenyl	LD50	> 2,000 mg/kg	oral		rat	other guideline:
diisocyanate	LD50	> 9,400 mg/kg			rabbit	OECD Guideline 402 (Acute
101-68-8			dermal			Dermal Toxicity)
Quartz (SiO2), <1%	LD50	> 5,050 mg/kg	oral		rat	not specified
respirable	LD50	> 2,000 mg/kg			not specified	not specified
14808-60-7			dermal		_	_

Skin corrosion/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
4,4'- methylenediphenyl diisocyanate 101-68-8	irritating	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Respiratory or skin sensitization:

Hazardous components CAS-No.	Result	Test type	Species	Method
4,4'- methylenediphenyl diisocyanate 101-68-8	sensitising	Buehler test	guinea pig	OECD Guideline 406 (Skin Sensitisation)

Germ cell mutagenicity:

Hazardous components CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
4,4'- methylenediphenyl diisocyanate 101-68-8	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		EU Method B.13/14 (Mutagenicity)
4,4'- methylenediphenyl diisocyanate 101-68-8	negative	inhalation		rat	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Repeated dose toxicity:

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Method
4,4'- methylenediphenyl	NOAEL=0.0002	inhalation:	main: 2 y; satellite:1	rat	OECD Guideline 453
diisocyanate	mg/l	aerosol	y6 h/d; 5 d/w		(Combined Chronic Toxicity /
101-68-8					Carcinogenicity Studies)

Section 12. Ecological information

General ecological information:

Do not empty into drains / surface water / ground water.

Toxicity:

Hazardous components	Value	Value	Acute	Exposure	Species	Method
CAS-No.	type		Toxicity Study	time		
4,4'- methylenediphenyl	LC50	> 1,000 mg/l	Fish	96 h	Danio rerio	OECD Guideline
diisocyanate		-				203 (Fish, Acute
101-68-8			l			Toxicity Test)
4,4'- methylenediphenyl	EC50	129.7 mg/l	Daphnia	24 h	Daphnia magna	OECD Guideline
diisocyanate						202 (Daphnia sp.
101-68-8						Acute
						Immobilisation
						Test)
4,4'- methylenediphenyl	EC50	> 1,640 mg/l	Algae	72 h	Scenedesmus subspicatus (new	OECD Guideline
diisocyanate					name: Desmodesmus	201 (Alga, Growth
101-68-8					subspicatus)	Inhibition Test)
4,4'- methylenediphenyl	NOELR	1,640 mg/l	Algae	72 h	Scenedesmus subspicatus (new	OECD Guideline
diisocyanate					name: Desmodesmus	201 (Alga, Growth
101-68-8	7.0.50	100 1			subspicatus)	Inhibition Test)
4,4'- methylenediphenyl	EC50	> 100 mg/l	Bacteria	3 h	activated sludge	OECD Guideline
diisocyanate						209 (Activated
101-68-8						Sludge, Respiration
$O_{1} = \frac{1}{2} \left(\frac{1}{2} O_{1} \right) + \frac{1}{2} \left(\frac{1}{2} O_{1} \right$	1.050	× 1.000 ···· = /1	T2: -1-	0.6 1		OECD Cuidalina
Quartz (SIO_2) , <1% respirable	LC30	> 1,000 mg/1	FISH	96 n	not specified	OECD Guideline
14808-00-7						205 (FISH, Acute Towisity Test)
Quartz (SiQ2) <1% respirable	EC50	> 1.000 mg/l	Donhnio	18 h	Danhnia magna	OECD Guidalina
Quartz (SIO2), <1% respirable	EC30	> 1,000 mg/1	Dapinna	40 11	Dapinna magna	202 (Dephysic op
14808-00-7						202 (Dapinita sp.
						Immobilisation
						Test)
O_{uartz} (SiO2) <1% respirable	EC50	> 1.000 mg/l	Algae	72 h	not specified	OFCD Guideline
14808-60-7	LCSU	> 1,000 mg/1	7 figue	7211	not specified	201 (Alga Growth
11000 00 /						Inhibition Test)
Ouartz (SiO2), <1% respirable	EC0	> 1.000 mg/l	Bacteria	3 h	not specified	OECD Guideline
14808-60-7	200	, 1,000 mg1	Buotonu	2.11	not speenied	209 (Activated
1.000 00 /						Sludge, Respiration
						Inhibition Test)

Persistence and degradability:

Hazardous components	Result	Route of	Degradability	Method
CAS-No.		application		

4,4'- methylenediphenyl	not readily biodegradable.	aerobic	0 %	OECD Guideline 301 F (Ready
diisocyanate				Biodegradability: Manometric
101-68-8				Respirometry Test)

Bioaccumulative potential / Mobility in soil:

Hazardous components	LogPow	Bioconcentration	Exposure	Species	Temperature	Method
CAS-No.		factor (BCF)	time			
4,4'- methylenediphenyl		92 - 200	28 d	Cyprinus carpio		OECD Guideline 305 E
diisocyanate						(Bioaccumulation: Flow-
101-68-8						through Fish Test)
4,4'- methylenediphenyl	4.51				22 °C	OECD Guideline 117
diisocyanate						(Partition Coefficient (n-
101-68-8						octanol / water), HPLC
						Method)

	Section 13. Disposal considerations
Waste disposal of product:	In consultation with the responsible local authority, must be subjected to special treatment.
Disposal for uncleaned package:	After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorised legal land fill site or incinerated. Disposal must be made according to official regulations.

Section 14. Transport information

Road and Rail Transport:

Dangerous Goods information:

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

Marine transport IMDG:

Not dangerous goods

Air transport IATA: Not dangerous goods

Section 15. Regulatory information

SUSMP Poisons Schedule None

Section 16. Other information					
Abbreviations/acronyms:	ADGC - Australian Dangerous Goods Code IMDG: International Maritime Dangerous Goods code IATA-DGR: International Air Transport Association – Dangerous Goods Regulations				
	STEL - Short term exposure limit				
	AIIC - Australian Inventory of Industrial Chemicals (AIIC)				
	AICIS - Australian Industrial Chemicals Introduction Scheme				
Reason for issue:	Reviewed SDS. Reissued with new date. involved chapters: 1,2,3,16				

Date of previous issue:	19.07.2016
Disclaimer:	The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of the material. The information contained in the Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet. This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.